## Listing of Claims:

(Currently Amended) A compound of formula (I)

$$\mathbb{R}_{0}$$

## wherein

R is halogen, C<sub>1-4</sub> alkyl, cyano, C<sub>1-4</sub> alkoxy, trifluoromethyl or trifluoromethoxy;

R<sub>1</sub> is a 5-or 6-membered-heteroaryl group, in which the 5-membered-heteroaryl

group-contains at least one heteroatem-selected from exygen, sulphur or nitrogen and the 6-membered heteroaryl-group-contains from 1 to 3 nitrogen atoms, or R<sub>1</sub> is a 4, 5 or 6 membered heterocyclic group, wherein said 5 or 6 membered heterocyclic group may optionally be substituted by one to three substituents, which may be the same or different, selected from (CH<sub>2</sub>) $_p$ R<sub>6</sub>, wherein p is zero or an integer from 1 to 4 and R<sub>6</sub> is selected from:

halogen,

C<sub>1-4</sub>alkoxy,

C<sub>1-4</sub>alkyl,

C3\_7cycloalkyl,

C<sub>1-4</sub> alkyl optionally substituted by halogen, cyano or C<sub>1-4</sub> alkoxy.

hydroxy,

cyano,

nitro,

trifluoromethyl.

carboxy,

NH(C<sub>1-4</sub> alkyl),

N(C<sub>1-4</sub> alkyl)<sub>2</sub>

NH(C3-7 cycloalkyl),

N(C<sub>1-4</sub> alkyl)(C<sub>3-7</sub> cycloalkyl);

 $NH(C_{1-4}alkylOC_{1-4}alkoxy),$ 

 $OC(O)NR_7R_8$ ,  $NR_8C(O)R_7$  or  $C(O)NR_7R_8$ :

R2 is hydrogen, or C1-4 alkyl;

R<sub>3</sub> and R<sub>4</sub> independently are hydrogen, C<sub>1-4</sub> alkyl or R<sub>3</sub> together with R<sub>4</sub> and the carbon to which they are bonded is C<sub>3-7</sub> cycloalkyl;

 $R_5$  is trifluoromethyl,  $S(O)_qC$  <sub>1-4</sub> alkyl,  $C_{1-4}$  alkyl,  $C_{1-4}$  alkoxy, trifluoromethoxy, halogen or cvano:

R<sub>7</sub> and R<sub>8</sub> independently are hydrogen, C<sub>1-4</sub> alkyl or C<sub>3-7</sub> cycloalkyl;

- L is a single or a double bond;
- n is an integer from 1 to 3:
- m is zero or an integer from 1 to 3;
- q is zero or an integer from 1 to 2;

provided that

- a) when L is a double bond, R<sub>1</sub> is not an optionally substituted 5 or 6 membered heteroaryl group, in which the 5-membered heteroaryl group contains at least one heteroatom selected from oxygen, sulphur or nitrogen and the 6membered heteroaryl group contains from 1 to 3 nitrogen atoms:
- b) the group  $\mathsf{R}_1$  is linked to the carbon atom shown as \* via a carbon atom; and
- c) when the heteroatom contained in the group R<sub>1</sub> is substituted, p is not zero; or a pharmaceutically acceptable salt and pharmaceutically acceptable salts and solvates thereof.
- 2. (Previously Presented) A compound as claimed in claim 1 wherein R is halogen or C<sub>1-4</sub> alkyl and n is an integer from 1 to 2.
- 3. (Previously Presented) A compound as claimed in claim 1 wherein  $R_5$  is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is an integer from 1 to 2.
- (Previously Presented) A compound as claimed in claim 1 wherein R<sub>1</sub> is piperidyl, morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl.

- 5. (Previously Presented) A compound as claimed in claim 1 wherein R is halogen or  $C_{1-4}$  alkyl and n is an integer from 1 to 2;  $R_1$  is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein  $R_1$  is optionally substituted by one or two groups selected from halogen,  $C_{1-4}$  alkyl or ethyl $C_{1-4}$  alkoxy;  $R_2$  and  $R_3$  are independently hydrogen or methyl;  $R_4$  is hydrogen, methyl or together with  $R_3$  is cyclopropyl and  $R_5$  is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- 6. (Previously Presented) A compound according to claim 1, selected from:
- N-(3,5-Bis-trifluoromethyl-benzyl)-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-yl-propionamide:
- N-(3,5-Dichloro-benzyl)-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-yl-propionamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-N-methyl-3-piperidin-4-yl-propionamide;
- N-[1-(3,5-Dichloro-phenyl)-ethyl]-3-(4-fluoro-phenyl)-N-methyl-3-[1-(2-methoxyethyl)-piperidin-4-yl]-propionamide;
- N-(3,5-Dichloro-benzyl)-3-(4-fluoro-phenyl)-3-(4-fluoro-piperidin-4-yl)-N-methyl-proprionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-{1-[2-(methyloxy)ethyl]-4-piperidinyl}propionamideN-{-1-[3,5bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(4piperidinyl)propanamide;
- N-{1-[3,5-bis(trifluoromethyl)phenyl]-1-methylethyl}-3-(4-fluorophenyl)-3-(4-piperidinyl)propionamide:
- N-{[3-bromo-4-(methyloxy)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,5-dimethylphenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3,4-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-[(3-fluoro-2-methylphenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;

- N-{[2-chloro-3-(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(2,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluoro-2-methylphenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(3,4-dichlorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide:
- 3-(4-chlorophenyl)-N-[(3,5-dibromophenyl)methyl]-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinylidene)propionamide;
- N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinylidene)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluoro-2-methylphenyl}-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluoro-2-methylphenyl)-N-methyl-3-(1,2,3,6-tetrahydro-4-pyridinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-pyrrolidinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide;
- N-{-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(2-morpholinyl)propionamide;
- N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(3-piperidinyl)propionamide;

N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-N-methyl-3-(4-pyridinyl)propionamide;

and enantiomers, diastereiosomers, pharmaceutically acceptable salts and solvates thereof

(Previously Presented) A compound selected from

N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl}-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide(diastereoisomer 1);

N-{(1S)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl)-3-(4-fluorophenyl)-N-methyl-3-(4-piperidinyl)propionamide (diastereoisomer 2);

N-{(1R)-1-[3,5-bis(trifluoromethyl)phenyl]ethyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide (diastereoisomer 1;

N-[(3,5-dibromophenyl)methyl]-3-(4-fluorophenyl)-3-(4-fluoro-4-piperidinyl)-N-methylpropionamide (enantiomer 2);

N-{[3,5-bis(trifluoromethyl)phenyl]methyl}-3-(4-fluorophenyl)-3-(3-fluoro-3-piperidinyl)-N-methylpropionamide (diastereoisomer A);

and pharmaceutically acceptable salts and solvates thereof.

8. (Previously Presented) A process for the preparation of a compound as claimed in claim 1 which comprises reacting an activated derivative of the carboxylic acid of formula (II) wherein R<sub>1</sub> has the meaning previously defined or is a protected group thereof, with amine (III)

wherein R<sub>2</sub> is C<sub>1-4</sub> alkyl or a nitrogen protecting group, followed where necessary by removal of any protecting group.

9-11. (Cancelled)

 (Previously Presented) A pharmaceutical composition comprising a compound as claimed in claim 1 in admixture with one or more pharmaceutically acceptable carriers or excipients.

## 13. (Cancelled)

- 14. (Previously Presented) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2.
- 15. (Previously Presented) A compound as claimed in claim 1 wherein R is fluorine or chlorine or methyl and n is an integer from 1 to 2; R<sub>1</sub> is piperidyl, 2-morpholinyl, 1,2,3,6-tetrahydro-4-pyridinyl, pyridyl or pyrrolidinyl and wherein R<sub>1</sub> is optionally substituted by one or two groups selected from fluorine, methyl or ethylC<sub>1-4</sub> alkoxy; R<sub>2</sub> and R<sub>3</sub> are independently hydrogen or methyl; R<sub>4</sub> is hydrogen, methyl or together with R<sub>3</sub> is cyclopropyl and R<sub>5</sub> is trifluoromethyl, methyl, methoxy, bromine, chlorine or fluorine atom and m is preferably an integer from 1 to 2.
- (Previously Presented) A method for the treatment of a depressive state in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- 17. (Previously Presented) The method as claimed in claim 16, wherein said depressive state is a Major Depressive Disorder.
- 18. (Previously Presented) The method as claimed in claim 16, wherein said mammal is man.
- (Previously Presented) A method for the treatment of anxiety in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.
- (Previously Presented) A method for the treatment of rheumatoid arthritis in a mammal in need thereof, comprising administering an effective amount of a compound as claimed in claim 1.